

# Phius Quality Control Site Photos - DON'Ts and DO's

## DON'Ts

Insulation Photos



Don't measure insulation thickness without a measuring tape.

Insulation Photos



Don't provide photo that only shows context.

Insulation Photos



Don't measure with measuring tape at an angle.

Insulation Photos



Don't provide photo that only shows measured insulation thickness.

## DO's

Insulation Photos



Do provide photo that shows context, measured insulation thickness, and manufacturer label.

Insulation Photos



Do provide photo that shows context, measured insulation thickness, and manufacturer label.

Insulation Photos



Do measure with measuring tape flat along insulation

Insulation Photos




Do provide photo that shows context and measured insulation thickness.

# Phius Quality Control Site Photos - DON'Ts and DO's

## DON'Ts

Insulation Photos



Don't provide photo that only shows cavity insulation.

Insulation Photos



Don't provide photo that only shows spray applied insulation.

Insulation Photos



Don't provide photo that only shows ceiling insulation.

Insulation Photos



Don't provide photo that only shows exterior insulation.

## DO's

Insulation Photos



Do include photo that shows measured cavity insulation thickness.

Insulation Photos



Do provide photo that shows spray applied insulation and measured insulation thickness.

Insulation Photos



Do provide photo that shows ceiling insulation and measured insulation thickness.

Insulation Photos



Do provide photo that shows exterior insulation and measured insulation thickness.




# Phius Quality Control Site Photos - DON'Ts and DO's

## DON'Ts


## DO's

Infrared Photos



Don't provide photo that only shows infrared image.

Infrared Photos



Do provide infrared photo and non-infrared photo of the same space.

Infrared Photos



Don't provide photo that only shows infrared image.

Infrared Photos



Do provide infrared photo and non-infrared photo of the same space.

Mechanical System Photos



Don't simply provide photo of mechanical ductwork.

Mechanical System Photos




Do provide photo of mechanical equipment nameplate and filter.

Mechanical System Photos



Don't simply provide photo of mechanical unit.

Mechanical System Photos



Do provide photo of mechanical unit and nameplate.

# Phius Quality Control Site Photos - DON'Ts and DO's

## DON'Ts

### Ventilation System Photos



Don't simply provide photo of ventilation unit.

### Domestic Hot Water System Photos



Don't take photo of DHW unit only from afar.

### Window Photos



Don't take window photo only from afar.


### Window Photos



Don't provide blurry photo of window fenestration sticker.

## DO's

### Ventilation System Photos



Do provide photo of ventilation unit, nameplate, and filters.

### Domestic Hot Water System Photos




Do take close photo of DHW system nameplate and EnergyGuide label.

### Window Photos



Do provide photo of window and close photo of window fenestration sticker.

### Window Photos



Do provide clear photo of window fenestration sticker with manufacturer, U-value, and SHGC.



# Phius Quality Control Site Photos - DON'Ts and DO's

## DON'Ts

### Appliance Photos



Don't simply provide photo of appliance.

### Appliance Photos



Don't simply provide photo of appliance.

### EV Ready Photos



Don't take photo of EV charging receptacle from afar.

## DO's

### Appliance Photos



Do provide photo of appliance and appliance nameplate.

### Appliance Photos



Do provide photo of appliance and appliance nameplate.

### EV Ready Photos



Do provide close photo of EV charging receptacle or charger.